

ITRAX Software and Hardware Specifications



Software Specifications

| | |
|--------------------------------|---|
| PC software | Supports Windows 2000/XP/Vista/Windows 7 |
| Scale Support | Weigh-Tronix Solution Series, supports multiple scale stations, Static or In-Motion |
| Scale User Interface | Dot graphic display, 5"W x 1.33"H, 240 x 64 dots cold cathode. Simultaneously displays 0.6" high readings of Weight, Count, Product, Target, Accept, Reject, etc. |
| Scale Operating System | Event driven functionality triggered by actions such as scanning of carton ID, photocell trigger, etc. |
| Network Support | Windows Network ready. Data can be stored anywhere on company wide network. Data is retrieved from the scale stations TCP/IP sockets via wired Ethernet or industry standard Wi-Fi IEEE 802.11a/b components. |
| Compatibility and Data Storage | CSV, Fixed Record Length, SQL Server, DB2, Oracle, Sybase, Access, dBase, Paradox, FoxPro, Excel, and other ODBC compliant databases |
| Security | Five level user password system. Tracks and records all user actions in system log files |
| Barcode Specification | Code 39, Extended Code 39, Codabar, Code 128, Code 11, Code 93, EAN-13, EAN-14, UCC/EAN-128, I 2 of 5, UPC, PDF, and other standard formats |
| Sortation | Sortation divert control by weight, product SKU, shipper, etc |
| Weight Verification | Verification by product, static and in-motion (conveyor) |
| Reports | Comprehensive standard report system. User guided Report and Graph Wizard. Ad-hoc Query system for user definable custom reports. |
| Online Help | Comprehensive online help with lookup index |
| Remote Support | Remote support provided via PC Anywhere, Carbon Copy, WinVNC, or VPN (Virtual Private Network) with annual support contract. |

Hardware Specifications

| | |
|-------------------|--|
| Computer | <ul style="list-style-type: none"> Pentium 4 processor or greater -5 GB available hard disk space -2 GB RAM -High-speed Internet connection -Uninterruptible Power Source (UPS) -Network Connectivity -RS232 serial port (for Serial version) |
| Computer Location | PC can be in office or on production floor |
| Scale | Weigh-Tronix Solution Series Instruments with Bench, Deck or Conveyor Scales |
| Communication | Ethernet, RF, 802.11a/b, or RS-232 |
| Network | Ethernet and Industry standard Wi-Fi IEEE 802.11a/b components |
| Scanner | Supports most RS-232 decoded output scanners |
| Printer | Supports most RS-232 or Ethernet based Thermal or Inkjet printers |
| Support | 90 days included, annual contracts available |